



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ---- Guaranteed.



3V0-21.21 Dumps
3V0-21.21 Braindumps
3V0-21.21 Real Questions
3V0-21.21 Practice Test
3V0-21.21 Actual Questions



VMware

3V0-21.21

Advanced Design VMware vSphere 7.x



Question: 100

A Cloud Service Provider wants to introduce backup as a service for a customer's vSphere-based virtual machines.

The following information is noted:

They have a single four-port (2×10 GbE and 2×1 GbE) NIC per ESXi host

All top-of-rack (ToR) switches are 10 GbE and fully populated

The backup traffic must not impact existing services

Which two recommendations should the architect make to help the customer incorporate the service? (Choose two.)

- A. Enable and tag traffic on the backup distributed port group
- B. Add a new two-port 10 GbE NIC per ESXi host
- C. Replace the existing NIC with a two-port 25 GbE NIC per ESXi host
- D. Match the Class of Service (CoS) and Differentiated Services Code Point (DSCP) values to the physical network
- E. Create a new virtual switch using the 1 GbE uplinks

Answer: A,B

Question: 101

A customer requests a review of its current vSphere platform design.

The following information is noted:

There are three different workload profiles for the virtual machines:

[\[email protected\]](#)

Tier-1, Tier-2 and Tier-3 virtual machines are all hosted on a single large vSphere cluster.

The Chief Information Security Officer (CISO) has raised concerns that hosting externally facing applications alongside management tools does not meet internal compliance standards.

The Operations team has raised concerns about Tier-1 virtual machines negatively impacting the performance of vCenter Server.

The Operations lead has stated that management changes have consistently been rejected by application teams.

As a result of the review, which recommendation should the architect make regarding the design of this platform?

- A. Separate Tier-1, Tier-2 and Tier-3 virtual machines using dedicated distributed virtual switches (DVS)
- B. Separate Tier-2 virtual machines onto a dedicated cluster
- C. Separate Tier-1, Tier-2 and Tier-3 virtual machines onto dedicated clusters
- D. Separate Tier-1, Tier-2 and Tier-3 virtual machines using resource pools and shares

Answer: D

Question: 102

An architect is tasked with planning the design of a new vSphere environment. When commissioned, this environment will be used to migrate an existing set of virtual machines.

An inventory of the existing infrastructure, including configured vCPU, RAM and storage sizes has been provided.

In order for each virtual machine to be migrated, which two data sources with peak and average utilization data are required for sizing? (Choose two.)

- A. %Ready
- B. Disk Write latency
- C. CPU
- D. Ballooned memory
- E. IOPS

Answer: B,E

Question: 103

An architect will be taking over control of a former Linux server fleet and repurposing the hardware into a new vSphere cluster. The current environment is already connected to the network but the hosts do not have any local disks. Since the fleet hardware is uniform, the architect can use a single ESXi image. All hosts within the cluster have the same CPU and memory capacity.

Which ESXi deployment method should the architect use?

- A. Stateless cached vSphere Auto Deploy
- B. Stateless vSphere Auto Deploy
- C. Manual install of each ESXi host with an image from USB
- D. Stateful vSphere Auto Deploy

Answer: A

Explanation:

Reference: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-0813B4BE-485D-4129-902B-49AA42EBF54E.html>

Question: 104

An architect is considering placement of virtual machines within an existing VMware software-defined data center (SDDC).

During the discovery phase, the following information is documented:

Cluster One

Six ESXi hosts

vSphere HA with host failures cluster tolerates = 1

Proactive HA is enabled and set to automated

Fully Automated vSphere DRS

Transparent Page Sharing (TPS) is enabled

Cluster Two

Eight ESXi hosts

vSphere HA with host failures cluster tolerates = 1

Proactive HA is disabled

Partially Automated vSphere DRS

Transparent Page Sharing (TPS) is disabled

Cluster Three

Three ESXi hosts

vSphere HA with admission control is disabled

Proactive HA is not supported

Transparent Page Sharing (TPS) is disabled

Virtual Machine Resource Profile 1

Memory sharing techniques should not be used

Virtual machines should be automatically restarted in the event of host failure if resources are available

Automated initial virtual machine placement

Virtual Machine Resource Profile 2

Memory sharing techniques should not be used

Virtual machines should be automatically restarted in the event of host failure regardless of available resources

Automated initial virtual machine placement

Which two recommendations should the architect make for placement of the virtual machines to meet resource profile requirements? (Choose two.)

- A. All virtual machines matching Virtual Machine Resource Profile 2 should be placed on Cluster One.
- B. All virtual machines matching Virtual Machine Resource Profile 1 should be placed on Cluster One.
- C. All virtual machines matching Virtual Machine Resource Profile 2 should be placed on Cluster Two.
- D. All virtual machines matching Virtual Machine Resource Profile 1 should be placed on Cluster Two.
- E. All virtual machines matching Virtual Machine Resource Profile 2 should be placed on Cluster Three.

Answer: B,E

Question: 105

A customer has a database cluster with 40/60 read/write ratio and a high IOPs requirement with no contention on an all-flash vSAN cluster.

Which two storage settings should be configured for best performance? (Choose two.)

- A. IOPs limits enabled
- B. RAID 1
- C. Deduplication and Compression disabled
- D. RAID 5/6
- E. Deduplication and Compression enabled

Answer: A,B

Explanation:

Reference: <https://core.vmware.com/resource/troubleshooting-vsane-performance>

Question: 106

A customer requires the use of data encryption to ensure data is not accessible when a drive is removed from the primary storage platform. However, there is also a requirement to use deduplication and compression against all workloads in order to conserve space.

Which solution meets the customer requirements?

- A. Data-in-transit encryption
- B. OS-level encryption
- C. Encrypted backups
- D. Array-based encryption

Answer: D

Question: 107

Following a company merger, there are two data centers running vSphere environments.

Both data centers are leveraging separate Layer 3 vMotion networks.

Which requirement must be met in order to enable vMotion migration between these locations?

- A. The vMotion service must be configured on the Management VMkernel adapter
- B. A dedicated TCP/IP stack for vMotion with a dedicated gateway must be configured
- C. A stretched vMotion network must be configured between data centers
- D. Virtual machines must be powered off in order to migrate them between data centers

Answer: B

Question: 108

Which design decision must be included in a design to allow for the deployment of a minimum supported configuration of vCenter High Availability (HA)?

- A. A new subnet will be provisioned for vCenter HA services
- B. A vSphere cluster will consist of more than three nodes
- C. The deployed vCenter Server will be Tiny
- D. The vCenter HA network will support a latency of less than 50 ms

Answer: B


Explanation:

Reference: <https://www.vmware.com/pdf/vmware-validated-design-20-reference-architecture-guide.pdf> (116)

Question: 109

Refer to the exhibit.

During a requirements gathering workshop, a customer shares the following diagram regarding their availability service-level agreements (SLAs):



The customer states that there is no application level availability for legacy applications.

Which recommendation could the architect make to meet the customer's high availability requirements for the legacy applications virtual machines?

- A. Enable vSphere HA and add a VM Override with VM Restart Priority set to Disabled
- B. Enable Fault Tolerance
- C. Achieve application availability with snapshots
- D. Enable vSphere HA and add a VM Override with VM Restart Priority set to Lowest

Answer: A

Question: 110

An architect is designing a solution based on the following information:

Each ESXi host has a single physical NIC with two 10 Gbps ports.

There is a performance-based service-level agreement (SLA) that guarantees 15 Gbps bandwidth for production virtual machines at all times.

There is no budget to purchase additional hardware.

The hardware replacement SLA is based on a delivery agreement of two business days.

Which recommendation for the configuration of vSphere High Availability (HA) should the architect include in the design?

A. Configure vSphere HA

Configure % based admission control
Configure two isolation addresses

Consider an OEM with NIC failure conditions in their Proactive HA plugin

B. Configure vSphere HA

Set `das.IgnoreRedundantNetWarning` to true

Consider an OEM with NIC failure conditions in their Proactive HA plugin

C. Configure vSphere HA

Configure two existing data stores for heartbeat

Consider an OEM with NIC failure conditions in their Proactive HA plugin

D. Configure Proactive HA Automation Level: Automated

Remediation: Maintenance mode for all failures

Consider an OEM with NIC failure conditions in their Proactive HA plugin

Answer: A



SAMPLE QUESTIONS

*These questions are for demo purpose only. **Full version is up to date and contains actual questions and answers.***

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:

Actual Exam Questions: *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

Exam Dumps: *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

Practice Tests: *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

Guaranteed Success: *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

Updated Content: *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

Technical Support: *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>
Kill your exam at First Attempt....Guaranteed!